

POWER PRODUCTS

CATALOGUE 2024 - 2025







HYUNDAI. A global giant and one of the most recognized and respected brands in the world. With leading products, competitive pricing and a global footprint in over 90 countries, HYUNDAI delivers high quality products from a brand you know and trust. Welcome, to HYUNDAI POWER PRODUCTS.



Powered by HYUNDAI models are designed and manufactured in South Africa.



Look for the **GENUINE PRODUCT** mark, which is your assurance that the HYUNDAI product you purchased, is a GENUINE HYUNDAI PRODUCT.





CONTENTS

| ENGINES | 06 - 11 |
|---|---------|
| Vertical Shaft | |
| POWER PRODUCTS | 12 - 29 |
| Generators • Welders • Pumps • High Pressure Washers | |
| CARDEN PROPUSES | 00 45 |
| GARDEN PRODUCTS | 30 - 45 |
| Grass Trimmers • Brushcutters • Clearings Saws • Chainsaws • Leaf Blowers • Mist Blowers • Hedge Trimmers • Multi-tools • Lawnmowers • Earth Augers • Wood Chippers | |
| LUBRICANTS | 46 - 51 |
| 4-Stroke Oils ● 2-Stroke Oils ● Chainsaw Bar & Chain Oils | |
| NEW PRODUCTS COMING IN 2025 - 2026 | 52 - 53 |
| Battery Garden Tools • Battery Power Tools • Air Compressors • Agricultural Products | |





WHY HYUNDAI?

Global Leader

A global leader in manufacturing and distribution of world class products, packed with standard features at a competitive price point.

World Renowned

HYUNDAI is a globally respected and recognised brand with a global footprint and proven track record for reliability and value for money products.

Wide Range

With a diverse range of over 11,000 hardware products including engines, generators, power products, garden products, light construction products, power tools, air tools, battery products and hand tools, HYUNDAI offers a solution for virtually every consumer, landowner & professional tool and power equipment need.

Quality You Can Afford

A combination of quality at an affordable price makes HYUNDAI a leader in the global engines and outdoor power equipment markets.

Peace Of Mind

All HYUNDAI products are backed by after sales parts, service, repairs and warranty support via a dedicated National Sales & Service Dealer Network.





SYMBOLS & LOGOS



Petrol Powered

Powered by a 2-stroke or 4-stroke petrol engine.



Diesel Powered

Powered by a 4-stroke diesel engine.



Electric Powered

Powered by a corded electric motor.



Lubricants

For lubricating engines and equipment components.



Coming Soon


Designates a new product launching in 2024 - 2025. Launch dates to be announced.





ENGINES

Vertical Shaft • Horizontal Shaft Single Cylinder • Horizontal Shaft V-Twin Cylinder





VERTICAL SHAFT ENGINES

SINGLE CYLINDER



Petrol engines with efficient OHV configuration and lightweight design. Powerful, robust, easy to use to help you conquer the toughest lawn mowing jobs.





- Suitable for lawnmower and power tiller applications
- All models are 4-stroke
- Large fuel tanks for extended running periods
- Auto choke system

| Model | H170VC | H200VC |
|------------------------|---------------|---------------|
| Gross Horsepower (HP) | 5.5 | 7 |
| Displacement (cc) | 170 | 201 |
| Start System | Recoil | Recoil |
| Fuel Tank Capacity (L) | 0.8 | 1.3 |
| Oil Capacity (L) | 0.5 | 0.5 |
| PTO Shaft | 22.2mm x 51mm | 22.2mm x 72mm |
| Air Filter | Paper element | Paper element |
| Exhaust System | Low tone | Low tone |
| Net Weight (kg) | 9 | 11/ |
| Applications | Landowner | Professional |



VERTICAL SHAFT ENGINES

SINGLE CYLINDER



Petrol engines with efficient OHV configuration and lightweight design. Powerful, robust, easy to use to help you conquer the toughest lawn mowing jobs.



- Suitable for industrial lawnmower and ride-on lawnmower applications
- All models are 4-stroke
- Large fuel tanks for extended running periods
- Exhaust system included
- Electric start systems (dual start on H340VC)

| Model | H340E | H340VC |
|------------------------|---------------|--------------------------------|
| Gross Horsepower (HP) | 11 | 11 |
| Displacement (cc) | 340 | 340 |
| Start System | Electric | Recoil + electric (Dual Start) |
| Fuel Tank Capacity (L) | 3.5 | 3.5 |
| Oil Capacity (L) | 1.1 | 1.1 |
| PTO Shaft | 25.4mm x 80mm | 25.4mm x 80mm |
| Air Filter | Paper element | Paper element |
| Exhaust System | Low tone | Low tone |
| Net Weight (kg) | 23.5 | 23.5 |
| Applications | Landowner | Landowner |
| | 7 | |



HORIZONTAL SHAFT ENGINES

SINGLE CYLINDER



Heavy duty petrol engines that deliver powerful performance for a variety of commercial applications.



- H212 is suitable for water pump, pressure washer, compressor, power tiller and cylinder lawnmower applications
- H301 is suitable for water pump, compressor, plate compactor and industrial lawnmower applications
- All models are 4-stroke
- Large fuel tanks for extended running periods
- Low oil protection

| Model | H212 | H301 |
|------------------------|--------------|--------------|
| Gross Horsepower (HP) | 7 | 10 |
| Displacement (cc) | 212 | 301 |
| Start System | Recoil | Recoil |
| Fuel Tank Capacity (L) | 3.6 | 5.4 |
| Oil Capacity (L) | 0.55 | 1.1 |
| PTO Shaft | 19mm keyed | 25.4mm keyed |
| Air Filter | Dual element | Dual element |
| Exhaust System | Low tone | Low tone |
| Net Weight (kg) | 16 | 26 |
| Applications | Professional | Professional |
| | / | |



HORIZONTAL SHAFT ENGINES

SINGLE CYLINDER



Heavy duty petrol engines that deliver powerful performance for a variety of commercial applications.



- Suitable for water pump, compressor, power tiller, plate compactor, pressure washer, industrial lawnmower, generator and welder applications
- All models are 4-stroke
- Large fuel tanks for extended running periods
- Low oil protection
- High torque output

| Model | H420 | H420T | H420E | H420ET |
|------------------------|--------------|-----------------------|--------------|-----------------------|
| Gross Horsepower (HP) | 15 | 15 | 15 | 15 |
| Displacement (cc) | 420 | 420 | 420 | 420 |
| Start System | Recoil | Recoil | Electric | Electric |
| Fuel Tank Capacity (L) | 6.5 | 6.5 | 6.5 | 6.5 |
| Oil Capacity (L) | 1.1 | 1.1 | 1.1 | 1.1 |
| PTO Shaft | 25.4mm keyed | Tapered (genset spec) | 25.4mm keyed | Tapered (genset spec) |
| Air Filter | Dual element | Dual element | Dual element | Dual element |
| Exhaust System | Low tone | Low tone | Low tone | Low tone |
| Net Weight (kg) | 31 | 31 | 32 | 32 |
| Applications | Professional | Professional | Professional | Professional |
| | - / | | 2 | |



HORIZONTAL SHAFT ENGINES

V-TWIN CYLINDER



Heavy duty V-Twin cylinder petrol engines that deliver powerful performance for a variety of commercial applications.




- Suitable for water pump, pressure washer, wood milling, generator and welder applications
- All models are 4-stroke
- Large capacity dual air filtration system
- Low oil protection
- High torque output

| Model | H740E | H740ET |
|------------------------|--------------|-----------------------|
| Gross Horsepower (HP) | 23 | 23 |
| Displacement (cc) | 740 | 740 |
| Start System | Electric | Electric |
| Fuel Tank Capacity (L) | No tank | No tank |
| Oil Capacity (L) | 1.6 | 1.6 |
| PTO Shaft | 25.4mm keyed | Tapered (genset spec) |
| Air Filter | Dual element | Dual element |
| Exhaust System | Low tone | Low tone |
| Net Weight (kg) | 45 | 45 |
| Applications | Professional | Professional |
| | / | |



GENERATORS

Portable Generators • Inverter Generators • Contractor Generators





PORTABLE GENERATORS

2.7 kW - 8.5 kW



Powerful petrol powered generators with large displacement engines and efficient AVR regulated alternators. Large fuel tanks provide lengthy run times between re-fuels.



- Suitable for powering multiple appliances at home, the office or jobsite
- South African specification plug points (32A included on HG6000E and HG8500E)
- Voltmeter
- Low oil protection
- Battery included on HG6000E and HG8500E

| Model | HG3000 | HG6000E | HG8500E |
|--------------------------|-----------|-----------|-----------|
| Max. Rating (Watts) | 3000 | 6000 | 8500 |
| Cont. Rating (Watts) | 2700 | 5500 | 8000 |
| Voltage (V) | 230 | 230 | 230 |
| AVR Regulation | Yes | Yes | Yes |
| Engine Displacement (cc) | 212 | 420 | 500 |
| Fuel Tank Capacity (L) | 18 | 28 | 28 |
| Start System | Recoil | Electric | Electric |
| Frame Type | Carry | Trolley | Trolley |
| Net Weight (kg) | 45 | 87 | 102 |
| Applications | Homeowner | Landowner | Landowner |



PORTABLE GENERATORS

9 kW - 12 kW



Powerful petrol powered generators with large displacement V-Twin cylinder engines and efficient AVR regulated alternators. Large fuel tanks provide lengthy run times between re-fuels.



- Suitable for powering multiple appliances at home, the office or jobsite
- South African specification plug points with 32A included on both models
- Voltmeter
- Low oil protection
- Battery included

| Model | HG10000E | HG12000E |
|--------------------------|-----------------------|-----------------------|
| Max. Rating (Watts) | 10000 | 12000 |
| Cont. Rating (Watts) | 9000 | 11000 |
| Voltage (V) | 230 | 230 |
| AVR Regulation | Yes | Yes |
| Engine Displacement (cc) | 670 (V-Twin cylinder) | 740 (V-Twin cylinder) |
| Fuel Tank Capacity (L) | 36 | 48.5 |
| Start System | Electric | Electric |
| Frame Type | Trolley | Trolley |
| Net Weight (kg) | 150 | 154 |
| Applications | Landowner | Landowner |
| | / | |



INVERTER GENERATORS

2 kW - 4 kW



Pure sine wave petrol powered generators with closed frames for outdoor, leisure and home use. Perfect for sensitive electronic equipment such as computers, camera systems and oxygen machines.





- Suitable for powering small appliances at home, the office or jobsite
- South African specification plug points
- Digital meter
- Low oil protection
- Battery and remote start (key FOB) included on H4000iSE

| Model | | H2200iS | H4000iSE |
|--------------------------|---|--------------|-------------------|
| Max. Rating (Watts) | | 2200 | 4000 |
| Cont. Rating (Watts) | 1 | 2000 | 3800 |
| Voltage (V) | | 230 | 230 |
| AVR Regulation | | Yes | Yes |
| Engine Displacement (cc) | / | 98 | 223 |
| Fuel Tank Capacity (L) | | 3.8 | 9 |
| Start System | | Recoil | Electric + remote |
| Frame Type | | Silent Carry | Silent Trolley |
| Net Weight (kg) | | 20 | 47 |
| Applications | | Homeowner | Homeowner |



CONTRACTOR GENERATORS

6 kW - 7 kW



Robust petrol powered generators with large displacement engines for heavy duty daily contractor use. Simple no frills design for maximum durability and reliability on any jobsite.





- Powerful H420 Series engines
- Reliable NSM and Mecc Alte alternators
- South African specification plug points
- Low oil protection
- Heavy duty steel frames
- Battery included on HG6CE and HG7-3CE

| Model | HG6C | HG6CE | HG7-3C | HG7-3CE |
|--------------------------|--------------|--------------|--------------|--------------|
| Max. Rating (Watts) | 6600 | 6600 | 7000 | 7000 |
| Cont. Rating (Watts) | 6000 | 6000 | 6300 | 6300 |
| Voltage (V) | 230 | 230 | 400/230 | 400/230 |
| Regulation | Capacitor | Capacitor | Compound | Compound |
| Engine Displacement (cc) | 420 | 420 | 420 | 420 |
| Fuel Tank Capacity (L) | 6.5 | 6.5 | 6.5 | 6.5 |
| Start System | Recoil | Electric | Recoil | Electric |
| Frame Type | Trolley | Trolley | Trolley | Trolley |
| Net Weight (kg) | 80 | 84 | 79 | 83 |
| Applications | Professional | Professional | Professional | Professional |



CONTRACTOR GENERATORS

11 kW



Robust petrol powered generators with large displacement V-Twin cylinder engines for heavy duty daily contractor use. Simple no frills design for maximum durability and reliability on any jobsite.





- Powerful H740 Series V-Twin engines
- Reliable NSM and Mecc Alte alternators
- South African specification plug points
- Low oil protection
- Heavy duty steel frames
- Battery included

| Model | HG10CE | HG10-3CE |
|--------------------------|-----------------------|-----------------------|
| Max. Rating (Watts) | 11000 | 11000 |
| Cont. Rating (Watts) | 10000 | 10000 |
| Voltage (V) | 230 | 400/230 |
| Regulation | Capacitor | Compound |
| Engine Displacement (cc) | 740 (V-Twin cylinder) | 740 (V-Twin cylinder) |
| Fuel Tank Capacity (L) | 20 | 20 |
| Start System | Electric | Electric |
| Frame Type | Trolley | Trolley |
| Net Weight (kg) | 138 | 134 |
| Applications | Professional | Professional |
| | 7 | |



PORTABLE DIESEL GENERATORS

7.5 kW

Robust diesel powered generators for home, office or onsite use. Choose between an open set or a closed canopy set with low noise emission and protection from the weather elements.



Launch date to be announced.





- Includes 3-in-1 digital meter:
 - Volts
 - Hertz
 - Hours
- South African specification plug points
- Battery included

| Model | HD9500E | HD9500SE |
|--------------------------|-------------------|-------------------------------|
| Max. Rating (Watts) | 7500 | 7500 |
| Cont. Rating (Watts) | 6600 | 6600 |
| Voltage (V) | 230 | 230 |
| Regulation | AVR | AVR |
| Engine Displacement (cc) | 532 | 532 |
| Fuel Tank Capacity (L) | 12.5 | 30 |
| Start System | Electric | Electric |
| Frame Type | Open, with wheels | Sound attenuated, with wheels |
| Net Weight (kg) | 132 | 180 |
| Applications | Landowner | Landowner |



POWER, WHENEVER YOU NEED IT.





WELDERS

Portable Welders





PORTABLE WELDERS

200 AMP



Portable petrol powered welder generators for construction site and general on-site contractor use. Lightweight design ensures maximum portability and efficiency.





- Powerful H420 Series engines
- Efficient NSM & Mecc Alte welder alternators
- Heavy duty steel frames
- Battery included on HW200E

* Excludes welding cables kit

| Model | HW200 | HW200E |
|--------------------------|--------------|--------------|
| Max. Rating (Amps) | 200 | 200 |
| Duty Cycle @ 160 Amps | 60% | 60% |
| Duty Cycle @ 200 Amps | 35% | 35% |
| Auxiliary Power (Watts) | 7000 | 7000 |
| Engine Displacement (cc) | 420 | 420 |
| Fuel Tank Capacity (L) | 6.5 | 6.5 |
| Start System | Recoil | Electric |
| Frame Type | Trolley | Trolley |
| Net Weight (kg) | 92 | 96 |
| Applications | Professional | Professional |



PUMPS

Clear Water Pumps • Agricultural Pumps





CLEAR WATER PUMPS

50mm - 80mm



Efficient petrol powered clear water pumps for general clear water transfer applications. Perfect for pumping from pools, rivers, manholes, bulk water tanks and irrigation applications.





- Powerful H212 Series 4-stroke engines
- Heavy duty protection frames
- Clamps and strainer included

| Model | HP50 | HP80 |
|--------------------------|--------------|--------------|
| Inlet/Outlet Size (mm) | 50 | 80 |
| Max. Flowrate (I/min) | 600 | 1000 |
| Max. Delivery Head (M) | 33 | 33 |
| Max. Suction Lift (M) | 7 | 7 |
| Engine Displacement (cc) | 212 | 212 |
| Fuel Tank Capacity (L) | 3.6 | 3.6 |
| Start System | Recoil | Recoil |
| Frame Type | Carry | Carry |
| Net Weight (kg) | 25 | 28 |
| Applications | Professional | Professional |



AGRICULTURAL PUMPS

50mm



Petrol powered thermoplastic pump for transferring corrosive and high pH liquids for farming and other applications.





- Powerful H212 Series 4-stroke engine
- Heavy duty protection frame
- Robust BANJO thermoplastic pump end

* Excludes inlet/outlet elbows (female threads only)

| Model | HPC50 | |
|--------------------------|--------------|---|
| Inlet/Outlet Size (mm) | 50 | |
| Max. Flowrate (I/min) | 520 | |
| Max. Delivery Head (M) | 28 | |
| Max. Suction Lift (M) | 7 | |
| Engine Displacement (cc) | 212 | |
| Fuel Tank Capacity (L) | 3.6 | |
| Start System | Recoil | |
| Frame Type | Carry | / |
| Net Weight (kg) | 26 | |
| Applications | Professional | |
| 7 | | |



EFFICIENT BULK LIQUID TRANSFER SOLUTIONS.





HIGH PRESSURE WASHERS

Electric High Pressure Washers • Petrol High Pressure Washers





HIGH PRESSURE WASHERS

135 BAR - 225 BAR



Powerful electric powered high pressure washers for homeowners and landowners. All models come packed with numerous standard features included.



Launch date to be announced.





- Powerful and reliable electric motors
- Auto stop systems extends motor and pump life
- Handles and wheels for easy transport
- Hose reels for ease of use while cleaning (on HPWE165 & HPWE225)
- Detergent system

| Model | HPWE135 | HPWE165 | HPWE225 |
|-----------------------|----------------------------|----------------------------|----------------------------|
| Max. Pressure (Bars) | 135 | 165 | 225 |
| Max. Flowrate (I/min) | 7.1 | 7.2 | 9.0 |
| Motor Rating (Watts) | 1600 | 2100 | 3200 |
| Auto Stop | Yes | Yes | Yes |
| Hose Reel | No | Yes | Yes |
| Hose Length (M) | 5 | 5 | 5 |
| Cleaning Nozzle Type | 1 X Adjustable, 1 X rotary | 1 X Adjustable, 1 X rotary | 1 X Adjustable, 1 X rotary |
| Detergent Tank Type | Bottle | Built in tank | Built in tank |
| Net Weight (kg) | 9 | 20 | 26 |
| Applications | Homeowner | Homeowner | Landowner |



HIGH PRESSURE WASHERS

193 BAR - 275 BAR



Powerful petrol powered high pressure washers for the toughest cleaning jobs, with a number of standard features included for maximum versatility.



Launch date to be announced.





- Powerful R Series 4-stroke engines
- HPW200 suitable for medium duty work around the home and smaller jobsites
- HPW275 suitable for daily contractor use
- Heavy duty Annovi Reverberi TRIPLEX pump and steel braided hose featured on the HPW275

| Model | HPW200 | HPW275 |
|--------------------------|----------------------------------|----------------------------------|
| Max. Pressure (Bars) | 193 | 275 |
| Max. Flowrate (I/min) | 8.75 | 15 |
| Engine Displacement (cc) | 212 | 420 |
| Start System | Recoil | Recoil |
| Fuel Tank Capacity (L) | 3.6 | 6.5 |
| Hose Length (M) | 7.5 | 15 |
| Cleaning Nozzle Type | 4 Nozzles: 0° + 15° + 40° + Soap | 4 Nozzles: 0° + 15° + 40° + Soap |
| Frame Type | Trolley | Trolley |
| Net Weight (kg) | 28 | 61 |
| Applications | Landowner | Professional |



POWERFUL CLEANING SOLUTIONS.





GARDEN PRODUCTS

Grass Trimmers • Brushcutters • Clearing Saws • Chainsaws • Leaf Blowers • Mist Blowers • Hedge Trimmers • Multi-Tools • Lawnmowers • Earth Augers • Wood Chippers





PETROL POWERED GARDEN PRODUCTS

Versatile range of 2-stroke and 4-stroke lawn, yard, turf and forestry products for homeowners, landowners and professional contractors.





GRASS TRIMMERS

26cc (0.75 kW)



Robust 2-stroke grass trimmer for smaller gardens and edging around flower beds and trees. Our lightest grass trimmer in our range.



Launch date to be announced.



- Powerful 2-stroke engine
- Curved drive shaft
- Ergonomic loop handle is perfect for edging
- Lightweight design for maximum operator comfort

| Model | HGT26H | |
|--------------------------|-----------------|---|
| Engine Displacement (cc) | 26 | |
| Power (kW) | 0.75 | 1 |
| Туре | 2-Stroke | |
| Fuel/Oil Mix Ratio | 40:1 | |
| Fuel Tank Capacity (L) | 0.5 | |
| Drive Shaft Type | Curved | |
| Cutting Heads | Nylon bump head | |
| Handle Type | Loop | 7 |
| Net Weight (kg) | 5.0 | 1 |
| Applications | Homeowner | |
| | 1 | |



BRUSHCUTTERS

43cc - 52cc (1.25 kW - 1.8 kW)



Powerful 2-stroke brushcutters for demanding homeowner, landowner and professional use. All models feature heavy duty 28mm drive shafts and are perfect for maintaining large areas of grass.



- Powerful 2-stroke engines
- Full accessories kits with harness, nylon cutting head, cutting blade, tool kit and fuel mixing bottle
- Heavy duty drive shafts and gearboxes
- Ergonomic operator handles
- All models feature the same 28mm drive shaft and operator handle assemblies

| Model | HBC43H | HBC43L | HBC52P |
|--------------------------|-----------------------|-----------------------|-----------------------|
| Engine Displacement (cc) | 43 | 43 | 52 |
| Power (kW) | 1.25 | 1.6 | 1.8 |
| Туре | 2-Stroke | 2-Stroke | 2-Stroke |
| Fuel/Oil Mix Ratio | 40:1 | 40:1 | 40:1 |
| Fuel Tank Capacity (L) | 1.25 | 1.25 | 1.25 |
| Drive Shaft Size (mm) | 28 | 28 | 28 |
| Cutting Heads | Nylon + 3 tooth blade | Nylon + 3 tooth blade | Nylon + 3 tooth blade |
| Handle Type | Bull | Bull | Bull |
| Net Weight (kg) | 7.8 | 7.8 | 8.0 |
| Applications | Homeowner | Landowner | Professional |



CLEARING SAWS

50cc (1.8 kW)



Powerful 2-stroke clearing saw for tougher grass clearing applications. Featuring an advanced anti-vibration system and a premium comfort harness for maximum operator comfort and protection. Powered by our advanced multi-use 50 Series 2-stroke engine.



- Powerful 50 Series 2-stroke engine
- Heavy duty drive shaft and gearbox
- Ergonomic operator handles with advanced anti-vibration system
- Saw blade included

| Model | HBC50L | | |
|--------------------------|------------------------------|---|--|
| Engine Displacement (cc) | 50 | - | |
| Power (kW) | 1.8 | | |
| Туре | 2-Stroke | | |
| Fuel/Oil Mix Ratio | 40:1 | | |
| Fuel Tank Capacity (L) | 0.85 | | |
| Drive Shaft Size (mm) | 28 | | |
| Cutting Heads | Nylon + 40 tooth blade | | |
| Handle Type | Bull + anti-vibration system | | |
| Net Weight (kg) | 8.5 | 1 | |
| Applications | Landowner | | |
| | | | |



CHAINSAWS

40cc - 65cc (1.6 kW - 2.9 kW)



Powerful 2-stroke chainsaws that deliver excellent cutting performance, durability and ease of use for homeowner, landowner and professional cutting applications.



- Powerful 2-stroke engines
- OREGON cutter bars and chains on HCS58L and HCS65P models
- OREGON AdvanceCut system featured on HCS65P
- Ergonomic operator handles
- Cutter bar cover included

| Model | HCS40H | HCS58L | HCS65P |
|--------------------------|-----------|-----------|--------------|
| Engine Displacement (cc) | 40 | 58 | 65 |
| Power (kW) | 1.6 | 2.4 | 2.9 |
| Туре | 2-Stroke | 2-Stroke | 2-Stroke |
| Fuel/Oil Mix Ratio | 40:1 | 40:1 | 40:1 |
| Fuel Tank Capacity (L) | 0.4 | 0.55 | 0.55 |
| Cutter Bar Size (cm/in) | 40 / 16 | 40 / 16 | 45 / 18 |
| Chain Type | 3/8 / 050 | 3/8 / 058 | 3/8 / 058 |
| Bar & Chain Make | HYUNDAI | OREGON | OREGON |
| Net Weight (kg) | 5.0 | 7.5 | 7.5 |
| Applications | Homeowner | Landowner | Professional |



LEAF BLOWERS

25.4cc - 63.3cc (0.75 kW - 2.7 kW)



High velocity, high volume 2-stroke leaf blowers for homeowners, landowners & professionals. Choose between a handheld or backpack model with impressive operator comfort levels. Powerful, efficient and easy to use.



- Powerful 2-stroke engines
- Anti-vibration operator handle on HBL26H
- Padded backrest with hip support on both backpack models

| Model | HBL26H | HBL43P | HBL63P |
|--------------------------|-----------|--------------|--------------|
| Engine Displacement (cc) | 25.4 | 43 | 63.3 |
| Power (kW) | 0.75 | 1.2 | 2.7 |
| Туре | 2-Stroke | 2-Stroke | 2-Stroke |
| Fuel/Oil Mix Ratio | 40:1 | 40:1 | 40:1 |
| Fuel Tank Capacity (L) | 0.45 | 1.3 | 2.0 |
| Air Velocity (km/h) | 245 | 223 | 310 |
| Air Volume (m3/h) | 540 | 900 | 1188 |
| Туре | Handheld | Backpack | Backpack |
| Net Weight (kg) | 5.7 | 8.8 | 10.0 |
| Applications | Homeowner | Professional | Professional |



MIST BLOWERS

63.3cc (2.7 kW)



High velocity 2-stroke mist blower with superb misting range capability and large liquid tank for lengthy working periods between re-fills. Ergonomic harness and padded backrest ensure the operator works in comfort.



- Powered by the same powerful 2-stroke engine utilized on the HBL63P Backpack Blower
- Padded backrest with hip support
- Large capacity liquid tank
- Efficient misting operation with 3 spray modes

| Model | HMB63P | |
|---------------------------|--------------|---------------|
| Engine Displacement (cc) | 63.3 | $\overline{}$ |
| Power (kW) | 2.7 | |
| Туре | 2-Stroke | |
| Fuel/Oil Mix Ratio | 40:1 | |
| Fuel Tank Capacity (L) | 2.0 | |
| Liquid Tank Capacity (L) | 25 | |
| Max. Horizontal Range (M) | 24 | |
| Max. Range (M) | 18 | |
| Net Weight (kg) | 14.3 | 1 |
| Applications | Professional | |
| | / | |



HEDGE TRIMMERS

25.4c (0.75 kW)



Heavy duty 2-stroke hedge trimmer perfect for large hedges around homes, estates and professional applications. Includes dual blades with blade tip protector.




- Powerful 2-stroke engine
- Adjustable operator handle for ease of operation
- Blade tip protector protects blades from impact during handling and storage
- Large cutting blades make light work of larger hedges
- Brush guard protector

| Model | HHT26P | | |
|----------------------------|--|---|---|
| Engine Displacement (cc) | 25.4 | - | |
| Power (kW) | 0.75 | | |
| Туре | 2-Stroke | 1 | |
| Fuel/Oil Mix Ratio | 40:1 | | |
| Fuel Tank Capacity (L) | 0.23 | / | |
| Cutting Blades Length (mm) | 600 | | |
| Blade Tip Protector | Yes | | |
| Handle Type | 180° adjustable with anti-vibration system | | 1 |
| Net Weight (kg) | 5.3 | 1 | |
| Applications | Professional | | |
| | | | |



GIVING YOU THE HEDGE.





MULTI-TOOLS

43cc (1.2 kW)



Powerful 2-stroke multi-tool with 4-in-1 function. The perfect solution for large homes & landowners looking for an affordable all-in-one garden and landscape maintenance tool.



- Powerful 2-stroke engine
- Pruner attachment
- Saw attachment
- Trimmer attachment
- Brushcutter attachment
- Extension attachment (1 meter)

| Model | HMT43L | | |
|--------------------------|---|------------|---|
| Engine Displacement (cc) | 43 | _ | |
| Power (kW) | 1.2 | | |
| Туре | 2-Stroke | | |
| Fuel/Oil Mix Ratio | 40:1 | | |
| Fuel Tank Capacity (L) | 0.9 | | |
| Tools | 4-in-1: trimmer + brushcutter + hedge trimmer | + pole saw | |
| Handle Type | Loop | | |
| Harness | Yes | | / |
| Net Weight (kg) | 14.1 | 1 | |
| Applications | Landowner | | |
| | 1 | | |



LAWNMOWERS

WALK BEHIND (480mm)



Efficient large cut lawnmowers powered by 4-stroke OHV petrol engines. With heavy duty cutting systems that deliver a consistent cut in all cutting conditions.



Launch date to be announced.



- Powerful 4-stroke engines
- Heavy duty steel chassis
- Heavy duty cutting blades
- Heavy duty bearing wheels
- Large 11" rear wheels

| Model | HLM48L | HLM48LS |
|---------------------------|--|--|
| Engine Type | HYUNDAI 4-stroke petrol | HYUNDAI 4-stroke petrol |
| Engine Displacement (cc) | 196 | 196 |
| Cutting Width (mm) | 480 | 480 |
| Blade Type | Bar | Bar |
| Cutting System Type | 4-in-1: side & rear discharge + collector + mulching | 4-in-1: side & rear discharge + collector + mulching |
| Collector Capacity (L) | 65 | 65 |
| Cutting Height Range (mm) | 25 – 75 | 25 – 75 |
| Drive System | Push | Self-propelled |
| Net Weight (kg) | 38 | 39 |
| Applications | Landowner | Landowner |



EARTH AUGERS

50cc (1.8 kW)



Powerful 2-stroke earth auger for landowners and farmers. The perfect tool for completing long game and farming fence runs and planting small - medium sized trees. Powered by our advanced multi-use 50 Series 2-stroke engine.



Launch date to be announced.



- Powerful 50 Series 2-stroke engine
- One man operation capability
- Supplied with 3 drill bits included

| Model | HEA50L | | |
|--------------------------|------------------------------------|---------|---|
| Engine Displacement (cc) | 50 | \prec | |
| Power (kW) | 1.8 | | |
| Туре | 2-Stroke | _/ | |
| Fuel/Oil Mix Ratio | 40:1 | | |
| Fuel Tank Capacity (L) | 0.85 | | |
| Drill Bits | Includes: Ø 10cm + Ø 15cm + Ø 20cm | | |
| Drilling Depth (cm) | 80 | | |
| Handle Type | Single operator | | / |
| Net Weight (kg) | 9.1 | 1 | |
| Applications | Landowner | | |
| | | | |



WE MOVE THE EARTH FOR YOU.





WOOD CHIPPERS

Ø 50mm - 120mm



Efficient heavy duty wood chippers powered by 4-stroke petrol engines. Whether chipping at home, around the farm or on a large municipal site, get the job done quickly.



Launch date to be announced.



- Powerful 4-stroke engines
- All steel construction
- Wheeled for maximum maneuverability around any worksite
- Heavy duty drum chipping systems
- HWC120P features high speed processing with high speed disc cutting system

| Model | нwс50н | HWC100L | HWC120P |
|--------------------------|-------------------------|-------------------------|-------------------------|
| Engine Type | HYUNDAI 4-stroke petrol | HYUNDAI 4-stroke petrol | HYUNDAI 4-stroke petrol |
| Engine Displacement (cc) | 212 | 212 | 420 |
| Fuel Tank Capacity (L) | 3.6 | 3.6 | 6.5 |
| Chipping Diameter (mm) | 50 | 100 | 120 |
| Cutting Method | Drum | Drum | Disk |
| Discharge | 65L collector bag | 360° | 360° |
| Wheels | Solid rubber | Pneumatic | Pneumatic + towbar |
| Start System | Recoil | Recoil | Electric |
| Net Weight (kg) | 51 | 93 | 265 |
| Applications | Homeowner | Landowner | Professional |




YARD CARE, THE SMART WAY.





LUBRICANTS


4-Stroke Oils • 2-Stroke Oils • Chainsaws Bar & Chain Oils





LUBRI-Synth PREMIUM LUBRICANTS

Premium range of lubricants that provide ultimate protection and performance for your HYUNDAI outdoor power equipment.





LUBRI-Synth 4-STROKE ENGINE OIL

Synthetic 10W-30

Premium 4-stroke engine oil that features an uniquely developed formulation that delivers the best performance available for modern engines.



Features & Benefits:

- Cleaner engine
- Lower wear
- Improved fuel economy
- Excellent cold starting performance

| Product Type | SYNTHETIC 10W-30 4-STROKE ENGINE OIL | |
|----------------------------|--------------------------------------|--|
| Performance Standards | Meets or exceeds API SJ/CH | |
| Applicable Part Numbers | HY00030 — HY00039 | |
| HY00031 (20 units per box) | 500ml | |
| HY00032 (12 units per box) | 1L | |
| HY00033 (4 units per box) | 5L | |
| Applicable Data Sheet | LS-4T-S-01/23 | |

Specially formulated for HYUNDAI 4-Stroke Lawnmower & Industrial Engines.





LUBRI-Synth 2-STROKE ENGINE OIL

Mineral

High performance 2-stroke engine oil that that exceeds numerous European specifications for a wide range of 2-stroke engines.



Features & Benefits:

- Cleaner engine
- Lower wear
- Low smoke emission
- Lower operating costs

| Product Type | MINERAL 2-STROKE ENGINE OIL | |
|----------------------------|---|--|
| Performance Standards | Meets or exceeds API TC, JASO FB, ISO-L-EGB | |
| Applicable Part Numbers | HY00040 — HY00049 | |
| HY00042 (25 units per box) | 200ml | |
| HY00043 (12 units per box) | 1L | |
| HY00044 (4 units per box) | 5L | |
| Applicable Data Sheet | LS-2T-M-01/23 | |

Specially formulated for HYUNDAI 2-Stroke Outdoor Power Equipment Engines.





LUBRI-Synth 2-STROKE ENGINE OIL

Synthetic

The ultimate synthetically blended 2-stroke engine oil that exceeds the most demanding European specifications for modern 2-stroke engines.







Features & Benefits:

- Cleaner engine
- Lower wear
- Low smoke emission
- Lower operating costs
- Longer service intervals

| Product Type | SYNTHETIC 2-STROKE ENGINE OIL | |
|----------------------------|---|--|
| Performance Standards | Meets or exceeds API TC, JASO FD, ISO-L-EGD | |
| Applicable Part Numbers | HY00050 — HY00059 | |
| HY00052 (25 units per box) | 200ml | |
| HY00053 (12 units per box) | 1L | |
| HY00054 (4 units per box) | 5L | |
| Applicable Data Sheet | LS-2T-S-01/23 | |

Specially formulated for HYUNDAI 2-Stroke Outdoor Power Equipment Engines.





LUBRI-Synth CHAINSAW BAR & CHAIN OIL



Virgin

High quality virgin based bar & chains oil for chainsaws. Delivers superior wear reducing properties for improved cutting performance.





Features & Benefits:

- Lower friction
- Lower wear
- Lower heat generation
- Improved cutting performance
- Reduced debris throw out/off

| Product Type | VIRGIN CHAINSAW BAR & CHAIN OIL Virgin | |
|----------------------------|---|--|
| Base Materials | | |
| Applicable Part Numbers | HY00060 - HY00069 | |
| HY00061 (12 units per box) | 1L | |
| HY00062 (4 units per box) | 5L | |
| Applicable Data Sheet | LS-CO-V-01/23 | |


Specially formulated for HYUNDAI Chainsaw Cutter Bars & Chains.





NEW PRODUCTS COMING IN 2025 - 2026

An ever growing range of quality products from a global brand you know and trust.





New Products Coming In 2025 - 2026

- Battery Garden Tools: Homeowner products
- Battery Power Tools: DIY and professional products
- Air Compressors: DIY and professional products
- Agricultural Products: Farmer and landowner products













For Inquiries, Please Contact:

C & R Industries

45 Piet Retief Road, Durban, KZN, 4093, South Africa

+ 27 (0) 31 463 1433

info@powerproducts.co.za

www.powerproducts.co.za